INDEX TO AUTHORS

A

Anderson, Ernest. Studies on the hemicelluloses. I. The evolution of carbon dioxide by plant materials and some hemicelluloses under the action of boiling twelve per cent hydrochloric acid, 559

B

Batchelder, E. L. See SHERMAN and BATCHELDER, 505

Berg, Clarence P. Tryptophane metabolism. I. The production of kynurenic acid from tryptophane derivatives, 513

Bledsoe, Mary Sue. See GREENE and POWER, 183

Bodansky, Meyer. Creatine in human muscle, 147

Bollman, Jesse L. See GREENE, BOLLMAN, KEITH, and WAKEFIELD, 203

Boyd, Eldon M. Low phospholipid values in dog plasma, 1

Braun, Charles E. See PARKS and BRAUN, 629

Brown, Helen Bennett, and Shohl, Alfred T. The determination of sodium plus potassium as benzidine sulfate, 745

Burr, George O. See WESSON and BURR, 525

C

Chanutin, Alfred, and Shearer, Lucy D. The effect of fasting on the creatine and nitrogen content of the body and muscle of the white rat, 475

Cowgill, George R. See HOLLANDER and COWGILL, 151

Crist, John W., and Dye, Marie. The association of vitamin A with greenness in plant tissue. III. Vitamin A content of asparagus grown under light of various qualities, 127

Curtis, Jack M., and Doisy, Edward A. The bioassay of theelol, 647

D

Daniels, Albert Clare, and Luck, James Murray. Further studies of the effect of insulin on the amino acid content of blood, 119

Doisy, Edward A., and Thayer, Sidney A. The preparation of theelol, 641

—. See CURTIS and DOISY, 647

—. See THAYER, LEVIN, and DOISY, 655, 791

Donelson, Eva, Nims, Betty, Hunscher, Helen A., and Macy, Icie G. Metabolism of women during the reproductive cycle.

IV. Calcium and phosphorus utilization in late lactation and during subsequent reproductive rest, 675

Dye, Marie. See CRIST and DYE, 127

E

Eckstein, H. C., and Soule, Malcolm H. The nature of the proteins and lipids synthesized by the colon bacillus, 395

Elderfield, Robert C. See JACOBS and ELDERFIELD, 625

—. See JACOBS, ELDERFIELD, GRAVE, and WIGNALL, 617

Elsom, Kendall A. See WALKER and ELSOM, 593

Elvehjem, C. A., and Hart, E. B. Synthetic rations and hemoglobin building. A note on the Drabkin-Waggoner modification of the Biazzo method for determining copper, 37

Erikson, Statie E., and Okey, Ruth. Studies of the metabolism of women. V. The components concerned in the cyclic variations in the level of total non-protein nitrogen in the blood of normal women, 715

F

Flanigan, G. E. See SUPPLEE, FLANIGAN, KAHLENBERG, and HESS, 773

Fred, E. B. See JOHNSON, PETERSON, and FRED, 569

Friedheim, E., and Michaelis, L. Potentiometric study of pyocyanine, 355

Friedheim, E. See MICHAELIS and FRIEDHEIM, 343

G

Gallup, Willis D. Concerning the use of cottonseed meal in the diet of the rat, 387

Gerwe, E. G. Studies on the spontaneous oxidation of cysteine. I. The preparation of iron-free cystine and cysteine hydrochlorides, 57

Getchell, R. W., and Walton, James H. Some factors influencing the activity of peroxidase, 419

Grave, Thomas B. See JACOBS, ELDERFIELD, GRAVE, and WIGNALL, 617

Gray, I. E. See ROOT, HALL, and GRAY, 27

Greene, Carl H., Bollman, Jesse L., Keith, Norman M., and Wakefield, E. G. The distribution of electrolytes between serum and transudates, 203

— and **Power, Marschelle H.** The distribution of electrolytes between serum and the *in vivo* dialysate, 183

Greenwald, Isidor. The possible significance of *l*-xyloketose (urine pentose) in normal metabolism, 731

H

Hall, F. G. See ROOT, HALL, and GRAY, 27

Hand, David B. See SUMNER, HAND, and HOLLOWAY, 333

Hart, E. B. See ELVEHJEM and HART, 37
Hartley, J. G. See QUINN and HARTLEY, 633
Hess, Alfred F. See SUPPLEE, FLANIGAN, KAHLENBERG, and HESS, 773
Hiller, Alma. Identification of reducing substances in nephritic urine, 735
Hollander, Franklin. Studies in gastric secretion. II. A comparison of criteria of acidity used in this investigation, 481
— and **Cowgill, George R.** Studies in gastric secretion. I. Gastric juice of constant acidity, 151
Holloway, Rachel G. See SUMNER, HAND, and HOLLOWAY, 333
Holst, James E. See KENDALL and HOLST, 435
Howard, C. H. See RUSSELL and HOWARD, 493
Hunscher, Helen A. See DONELSON, NIMS, HUNSCHER, and MACY, 675

J

Jacobs, Walter A., and **Elderfield, Robert C.** Strophanthin. XXI. The correlation of strophanthidin and periplogenin, 625
—, —, **Grave, Thomas B.,** and **Wignall, Ernest W.** Strophanthin. XX. The conversion of isostrophanthidic acid into the desoxo derivative, 617
Johlin, J. M. The freezing point determination of physiological solutions. The usual errors and their elimination, 551
Johnson, M. J., Peterson, W. H., and **Fred, E. B.** Oxidation and reduction relations between substrate and products in the acetone-butyl alcohol fermentation, 569
Jones, D. Breese, and **Nelson, E. M.** Nutritive value of potato protein and of gelatin, 705
Jones, James H., and **Robson, George M.** The effect of large doses of irradiated ergosterol upon the ash content of the femora of young and adult rats, 43

K

Kahlenberg, O. J. See SUPPLEE, FLANIGAN, KAHLENBERG, and HESS, 773
Kay, H. D., and **Lee, E. R.** The rate of hydrolysis of α- and β-glycerophosphates by enzymes, 135
Keith, Norman M. See GREENE, BOLLMAN, KEITH, and WAKEFIELD, 203
Kendall, Edward C., and **Holst, James E.** The oxidation of cobaltous cysteine, 435
Kramer, Benjamin, Shear, M. J., and **Siegel, Jac.** Composition of bone. X. Mechanism of healing in low phosphorus rickets, 271
—, —, and —. XII. Effect of inadequate amounts of viosterol on the healing of rickets, 723

Kydd, David M. Hydrogen ion concentration and acid-base equilibrium in normal pregnancy, 63

L

Laug, Edwin P. See STADIE, O'BRIEN, and LAUG, 243
Lavietes, Paul H. See MOORE, LAVIETES, WAKEMAN, and PETERS, 373
Lecoq, Raoul. Are the Williams-Waterman vitamin B_3 and Randoin-Lecoq nutritional vitamin the same? 671
Lee, E. R. See KAY and LEE, 135
Levene, P. A., and **Marker, R. E.** Configurational relationship of hydrocarbons. I. Optically active methane derivatives containing propyl, isopropyl, isobutyl, isoamyl, and isohexyl groups, 405
— and —. II. Optical rotations of hydrocarbons of the normal series, 761
— and —. On Walden inversion. XV. The influence of substituting groups on optical rotation in the series of disubstituted propionic acids containing a methyl group, 77
— and —. XVI. The influence of substituting groups on optical rotation in the series of disubstituted propionic acids containing an ethyl group, 687
—, **Meyer, G. M.,** and **Raymond, Albert L.** On the monomethyl glucose of Pacsu, 497
Levene, P. A., and **Raymond, Albert L.** Hexosemonophosphate (Robison). Natural and synthetic, 751
Levin, Louis. See THAYER, LEVIN, and DOISY, 655, 791
Lewis, Robert C. See UNDERHILL, ORTEN, and LEWIS, 13
Luck, James Murray. See DANIELS and LUCK, 119

M

Macy, Icie G. See DONELSON, NIMS, HUNSCHER, and MACY, 675
Marker, R. E. See LEVENE and MARKER, 77, 405, 687, 761
Mattill, H. A. See OLCOVICH and MATTILL, 105
Melchionna, Robert. The effect of theelol on the blood pressure, heart rate, and respiratory rate, 653
Meyer, G. M. See LEVENE, MEYER, and RAYMOND, 497
Michaelis, L. Rosinduline as oxidation-reduction indicator, 369
— and **Friedheim, E.** Potentiometric studies on complex iron systems, 343
—. See FRIEDHEIM and MICHAELIS, 355
Moore, David D., Lavietes, Paul H., Wakeman, A. Maurice, and **Peters, John P.** The effect of ingested urea on nitrogen metabolism, 373

N

Nelson, E. M. See JONES and NELSON, 705

Nims, Betty. See DONELSON, NIMS, HUNSCHER, and MACY, 675

O

O'Brien, Helen. See STADIE, O'BRIEN, and LAUG, 243

Offner, M. M. See SHEAR and OFFNER, 291

Okey, Ruth. See ERIKSON and OKEY, 715

Olcovich, H. S., and **Mattill, H. A.** The unsaponifiable lipids of lettuce. I. Carotene, 105

Orten, James M. See UNDERHILL, ORTEN, and LEWIS, 13

P

Parks, Thomas B., and **Braun, Charles E.** A correction concerning the hypoglycemic action of *p*-aminophenylguanidine hydroiodide, 629

Peters, John P. See MOORE, LAVIETES, WAKEMAN, and PETERS, 373

Peterson, W. H. See JOHNSON, PETERSON, and FRED, 569

Power, Marschelle H. See GREENE and POWER, 183

Q

Quinn, E. J., and **Hartley, J. G.** A study of certain properties of the provitamin A, 633

R

Raymond, Albert L. See LEVENE, MEYER, and RAYMOND, 497

—. See LEVENE and RAYMOND, 751

Robson, George M. See JONES and ROBSON, 43

Root, R. W., Hall, F. G., and **Gray, I. E.** The influence of insulin on glycogen distribution in marine fishes, 27

Russell, Walter C., and **Howard, C. H.** The duration of the effect of winter sunlight on bone formation in the chicken, 493

S

Sendroy, Julius, Jr. Manometric determination of hemoglobin by the oxygen capacity method, 307

Shear, M. J., and **Offner, M. M.** Composition of bone. XI. Binding of calcium ions by serum, 291

—. See KRAMER, SHEAR, and SIEGEL, 271, 723

Shearer, Lucy D. See CHANUTIN and SHEARER, 475

Sherman, H. C., and **Batchelder, E. L.** Further investigation of quantitative measurement of vitamin A values, 505

Shohl, Alfred T. See BROWN and SHOHL, 745

Siegel, Jac. See KRAMER, SHEAR, and SIEGEL, 271, 723

Slawson, Chester B. Crystallographic description of theelol, 667

Soule, Malcolm H. See ECKSTEIN and SOULE, 395

Stadie, William C., O'Brien, Helen, and **Laug, Edwin P.** Determination of the pH of serum at 38° with the glass electrode and an improved electron tube potentiometer, 243

— and **Sunderman, F. William.** A method for the determination of the freezing point depression of aqueous solutions particularly those containing protein, 217

— and —. The osmotic coefficient of sodium in sodium hemoglobinate and of sodium chloride in hemoglobin solution, 227

Stearn, Allen E. Stoichiometrical relations in the reactions between dye, nucleic acid, and gelatin, 325

Sumner, James B., Hand, David B., and **Holloway, Rachel G.** Studies of the intermediate products formed during the hydrolysis of urea by urease, 333

Sunderman, F. William. See STADIE and SUNDERMAN, 217, 227

Supplee, G. C., Flanigan, G. E., Kahlenberg, O. J., and **Hess, Alfred F.** The comparative antirachitic and calcifying properties of irradiated milk and milk derivatives, 773

Sure, Barnett, and **Walker, Dorothy J.** Dietary requirements for fertility and lactation. XXIII. The specific effect of vitamin B on lactation, 69

T

Taylor, F. A. The tetracosanic acid of peanut oil, 541

Thayer, Sidney A., Levin, Louis, and **Doisy, Edward A.** Characterization of theelol, 655

—, —, and —. Theelin. Some physical and chemical properties, 791

—. See DOISY and THAYER, 641

U

Underhill, F. Aline, Orten, James M., and **Lewis, Robert C.** The inability of metals other than copper to supplement iron in curing the nutritional anemia of rats, 13

W

Wakefield, E. G. See GREENE, BOLLMAN, KEITH, and WAKEFIELD, 203

Wakeman, A. Maurice. See MOORE, LAVIETES, WAKEMAN, and PETERS, 373

Walker, Arthur M., and **Elsom, Kendall A.** A quantitative study of the glomerular elimination of urea in frogs, 593

Walker, Dorothy J. See SURE and WALKER, 69

Walton, James H. See GETCHELL and WALTON, 419

Wesson, Laurence G., and **Burr, George O.** The metabolic rate and respiratory quotients of rats on a fat-deficient diet, 525

Wignall, Ernest W. See JACOBS, ELDERFIELD, GRAVE, and WIGNALL, 617

INDEX TO SUBJECTS

A

Acetone:
-Butyl alcohol fermentation, substrate and products, oxidation-reduction relations (JOHNSON, PETERSON, and FRED) 569

Acid-base:
Equilibrium, pregnancy (KYDD) 63

Acidity:
Gastric juice (HOLLANDER and COWGILL) 151
— secretion, criteria (HOLLANDER) 481

Amino acids:
Blood, insulin effect (DANIELS and LUCK) 119

***p*-Aminophenylguanidine hydroiodide:**
Hypoglycemic action (PARKS and BRAUN) 629

Anemia:
Nutritional, copper as iron supplement (UNDERHILL, ORTEN, and LEWIS) 13
—, metals as iron supplements (UNDERHILL, ORTEN, and LEWIS) 13

Apparatus:
Hydrogen ion concentration determination, electron tube potentiometer and glass electrode (STADIE, O'BRIEN, and LAUG) 243

Ash:
Femur, ergosterol, irradiated, effect (JONES and ROBSON) 43

Asparagus:
Vitamin A, light relation (CRIST and DYE) 127

B

Biazzo:
Copper determination, Drabkin-Waggoner modification (ELVEHJEM and HART) 37

Biological assay:
Theelol (CURTIS and DOISY) 647

Blood:
Amino acids, insulin effect (DANIELS and LUCK) 119
Non-protein nitrogen components, cyclic variations, women (ERIKSON and OKEY) 715

Blood plasma:
Phospholipid, low (Boyd) 1

Blood pressure:
Theelol effect (Melchionna) 653

Blood serum:
Calcium ions, binding (Shear and Offner) 291
Electrolyte distribution, dialysate, *in vivo*, and (Greene and Power) 183
— —, transudates and (Greene, Bollman, Keith, and Wakefield) 203
Hydrogen ion concentration determination, glass electrode and electron tube potentiometer (Stadie, O'Brien, and Laug) 243

Bone:
Composition. X (Kramer, Shear, and Siegel) 271
—. XI (Shear and Offner) 291
—. XII (Kramer, Shear, and Siegel) 723
Formation, sunlight, winter, effect (Russell and Howard) 493

Butyl alcohol:
Acetone-, fermentation, substrate and products, oxidation-reduction relations (Johnson, Peterson, and Fred) 569

C

Calcification:
Milk derivatives, irradiated, calcifying properties (Supplee, Flanigan, Kahlenberg, and Hess) 773
—, irradiated, calcifying properties (Supplee, Flanigan, Kahlenberg, and Hess) 773

Calcium:
Utilization, lactation (Donelson, Nims, Hunscher, and Macy) 675
—, postlactation period (Donelson, Nims, Hunscher, and Macy) 675

Calcium ions:
Blood serum, binding (Shear and Offner) 291

Carbon dioxide:
Evolution, hemicelluloses, hydrochloric acid action (Anderson) 559
—, plant materials, hydrochloric acid action (Anderson) 559

Carotene:
Lettuce, lipids, unsaponifiable (Olcovich and Mattill) 105

Chemical constitution:
Hydrocarbons. I (Levene and Marker) 405
—. II (Levene and Marker) 761
Methane derivatives containing propyl, isopropyl, isobutyl, isoamyl, and isohexyl groups, optically active (Levene and Marker) 405

Chemical constitution—*continued:*
Periplogenin and strophanthidin, correlation (JACOBS and ELDERFIELD) 625
Strophanthidin and periplogenin, correlation (JACOBS and ELDERFIELD) 625
Cobaltous cysteine:
Oxidation (KENDALL and HOLST) 435
Colon bacillus:
Lipids, synthesis by (ECKSTEIN and SOULE) 395
Proteins, synthesis by (ECKSTEIN and SOULE) 395
Copper:
Anemia, nutritional, iron supplement (UNDERHILL, ORTEN, and LEWIS) 13
Determination, Biazzo method, Drabkin-Waggoner modification (ELVEHJEM and HART) 37
Cottonseed:
Meal, diet effect (GALLUP) 387
Creatine:
Body, fasting effect (CHANUTIN and SHEARER) 475
Muscle (BODANSKY) 147
—, fasting effect (CHANUTIN and SHEARER) 475
Crystallography:
Theelol (SLAWSON) 667
Cysteine:
Cobaltous, oxidation (KENDALL and HOLST) 435
Oxidation, spontaneous. I (GERWE) 57
Cysteine hydrochloride:
Preparation, iron-free (GERWE) 57
Cystine hydrochloride:
Preparation, iron-free (GERWE) 57

D

Diet:
Cottonseed meal in, effect (GALLUP) 387
Fat-deficient, metabolic rate, effect (WESSON and BURR) 525
—, respiratory quotient, effect (WESSON and BURR) 525
Fertility requirements. XXIII (SURE and WALKER) 69
Lactation requirements. XXIII (SURE and WALKER) 69
Drabkin-Waggoner:
Copper determination, Biazzo method, modification (ELVEHJEM and HART) 37
Dye:
Gelatin and, reaction, stoichiometrical relations (STEARN) 325
Nucleic acid and, reaction, stoichiometrical relations (STEARN) 325

E

Electrode:
Glass, hydrogen ion concentration determination, blood serum (STADIE, O'BRIEN, and LAUG) 243

Electrolytes:
Blood serum and dialysate, *in vivo*, distribution between (GREENE and Power) 183
— — — transudates, distribution between (GREENE, BOLLMAN, KEITH, and WAKEFIELD) 203
Transudates and blood serum, distribution between (GREENE, BOLLMAN, KEITH, and WAKEFIELD) 203

Enzyme:
α-Glycerophosphate, hydrolysis (KAY and LEE) 135
β-Glycerophosphate, hydrolysis (KAY and LEE) 135
See also Peroxidase.

Equilibrium:
Acid-base, pregnancy (KYDD) 63

Ergosterol:
Irradiated, femur ash, effect (JONES and ROBSON) 43
See also Viosterol.

Excretion:
Urea, glomerular, frogs (WALKER and ELSOM) 593

F

Fasting:
Creatine, body and muscle, effect (CHANUTIN and SHEARER) 475
Nitrogen, body and muscle, effect (CHANUTIN and SHEARER) 475

Fat:
-Deficient diet, metabolic rate, effect (WESSON and BURR) 525
— —, respiratory quotient, effect (WESSON and BURR) 525

Femur:
Ash, ergosterol, irradiated, effect (JONES and ROBSON) 43

Fermentation:
Acetone-butyl alcohol, substrate and products, oxidation-reduction relations (JOHNSON, PETERSON, and FRED) 569

Fertility:
Dietary requirements. XXIII (SURE and WALKER) 69

Fish:
Glycogen distribution, insulin influence (ROOT, HALL, and GRAY) 27

Freezing point:
Depression, determination, aqueous solutions (STADIE and SUNDERMAN) 217
Determination, physiological solutions (JOHLIN) 551

Frog:
Urea, glomerular elimination (WALKER and ELSOM) 593

G

Gastric:
See Stomach.
Gelatin:
Dye and, reaction, stoichiometrical relations (STEARN) 325
Protein, nutritive value (JONES and NELSON) 705
Glomerulus:
Urea elimination, frogs (WALKER and ELSOM) 593
Glucose:
Monomethyl, Pacsu (LEVENE, MEYER, and RAYMOND) 497
α-Glycerophosphate:
Enzyme hydrolysis (KAY and LEE) 135
β-Glycerophosphate:
Enzyme hydrolysis (KAY and LEE) 135
Glycogen:
Fish, insulin influence (ROOT, HALL, and GRAY) 27
Insulin influence, fish (ROOT, HALL, and GRAY) 27
Guanidine:
p-Aminophenyl-, hydroiodide, hypoglycemic action (PARKS and BRAUN) 629

H

Heart:
Theelol effect (MELCHIONNA) 653
Hemicellulose:
I (ANDERSON) 559
Carbon dioxide evolution, hydrochloric acid action on (ANDERSON) 559
Hemoglobin:
Building, synthetic rations (ELVEHJEM and HART) 37
Determination, manometric, oxygen capacity method (SENDROY) 307
Solution, sodium chloride in, osmotic coefficient (STADIE and SUNDERMAN) 227
Hexosemonophosphate:
Robison, natural and synthetic (LEVENE and RAYMOND) 751
Hydrocarbons:
Configurational relationship. I (LEVENE and MARKER) 405
— —. II (LEVENE and MARKER) 761
Optical rotations, normal series (LEVENE and MARKER) 761
Hydrogen ion concentration:
Blood serum, determination, glass electrode and electron tube potentiometer (STADIE, O'BRIEN, and LAUG) 243
Determination, blood serum, glass electrode and electron tube potentiometer (STADIE, O'BRIEN, and LAUG) 243
Pregnancy (KYDD) 63
Hypoglycemia:
p-Aminophenylguanidine hydroiodide action (PARKS and BRAUN) 629

I

Indicator:
Oxidation-reduction, rosinduline (MICHAELIS) 369

Insulin:
Amino acids, blood, effect (DANIELS and LUCK) 119
Blood amino acids, effect (DANIELS and LUCK) 119
Glycogen distribution, fish, influence (ROOT, HALL, and GRAY) 27

Iron:
Anemia, nutritional, metal supplements (UNDERHILL, ORTEN, and LEWIS) 13
Complex systems, potentiometric studies (MICHAELIS and FRIEDHEIM) 343

Irradiation:
Ergosterol, femur ash, effect (JONES and ROBSON) 43
Milk, antirachitic and calcifying properties, comparison (SUPPLEE, FLANIGAN, KAHLENBERG, and HESS) 773
—, calcifying and antirachitic properties, comparison (SUPPLEE, FLANIGAN, KAHLENBERG, and HESS) 773
— derivatives, antirachitic and calcifying properties, comparison (SUPPLEE, FLANIGAN, KAHLENBERG, and HESS) 773
Milk derivatives, calcifying and antirachitic properties, comparison (SUPPLEE, FLANIGAN, KAHLENBERG, and HESS) 773

Isostrophanthidic acid:
Desoxo derivative, conversion (JACOBS, ELDERFIELD, GRAVE, and WIGNALL) 617

K

Kynurenic acid:
Production, tryptophane derivatives (BERG) 513

L

Lactation:
Calcium utilization (DONELSON, NIMS, HUNSCHER, and MACY) 675
Dietary requirements. XXIII (SURE and WALKER) 69
Phosphorus utilization (DONELSON, NIMS, HUNSCHER, and MACY) 675
Vitamin B effect (SURE and WALKER) 69

Lettuce:
Carotene, lipids, unsaponifiable (OLCOVICH and MATTILL) 105
Lipids, unsaponifiable. I (OLCOVICH and MATTILL) 105

Light:
Vitamin A, asparagus, relation (CRIST and DYE) 127

Lipids:
Colon bacillus synthesis (Eckstein and Soule) 395
Synthesis, colon bacillus (Eckstein and Soule) 395
Unsaponifiable, carotene, lettuce (Olcovich and Mattill) 105
—, lettuce. I (Olcovich and Mattill) 105

M

Metabolism:
Fat-deficient diet, effect (Wesson and Burr) 525
Nitrogen, urea ingestion, effect (Moore, Lavietes, Wakeman, and Peters) 373
Reproductive cycle, women. IV (Donelson, Nims, Hunscher, and Macy) 675
Tryptophane. I (Berg) 513
Women. V (Erikson and Okey) 715

Metals:
Anemia, nutritional, iron supplement (Underhill, Orten, and Lewis) 13

Methane:
Derivatives containing propyl, isopropyl, isobutyl, isoamyl, and isohexyl groups, optically active, configurational relationship (Levene and Marker) 405

Milk:
Derivatives, irradiated, antirachitic and calcifying properties, comparison (Supplee, Flanigan, Kahlenberg, and Hess) 773
—, —, calcifying and antirachitic properties, comparison (Supplee, Flanigan, Kahlenberg, and Hess) 773
Irradiated, antirachitic and calcifying properties, comparison (Supplee, Flanigan, Kahlenberg, and Hess) 773
—, calcifying and antirachitic properties, comparison (Supplee, Flanigan, Kahlenberg, and Hess) 773

Monomethyl glucose:
Pacsu (Levene, Meyer, and Raymond) 497

Muscle:
Creatine (Bodansky) 147
—, fasting effect (Chanutin and Shearer) 475
Nitrogen, fasting effect (Chanutin and Shearer) 475

N

Nephritis:
Urine, reducing substances, identification (Hiller) 735

Nitrogen:
Body, fasting effect (Chanutin and Shearer) 475

Nitrogen—*continued:*
Metabolism, urea ingestion, effect (MOORE, LAVIETES, WAKEMAN, and PETERS) 373
Muscle, fasting effect (CHANUTIN and SHEARER) 475
Non-protein, components, blood, cyclic variations, women (ERIKSON and OKEY) 715
Nucleic acid:
Dye and, reaction, stoichiometrical relations (STEARN) 325
Nutrition:
Protein, gelatin value (JONES and NELSON) 705
—, potato, value (JONES and NELSON) 705

O

Oil:
Peanut. *See* Peanut oil.
Optical rotation:
Disubstituted propionic acids with ethyl group, substituting groups, influence (LEVENE and MARKER) 687
— — — — methyl group, substituting groups, influence (LEVENE and MARKER) 77
Hydrocarbons, normal series (LEVENE and MARKER) 761
See also Walden inversion.
Osmotic coefficient:
Sodium chloride, hemoglobin solution (STADIE and SUNDERMAN) 227
Osmotic coefficient—*continued:*
Sodium, sodium hemoglobinate (STADIE and SUNDERMAN) 227
Oxidation:
Spontaneous, cysteine. I (GERWE) 57
Oxidation-reduction:
Acetone-butyl alcohol fermentation, substrate and products, relation (JOHNSON, PETERSON, and FRED) 569
Indicator, rosinduline as (MICHAELIS) 369

P

Pacsu:
Monomethyl glucose (LEVENE, MEYER, and RAYMOND) 497
Peanut oil:
Tetracosanic acid (TAYLOR) 541
Pentose:
Urine, *l*-xyloketose, metabolism significance (GREENWALD) 731
Periplogenin:
Strophanthidin, correlation (JACOBS and ELDERFIELD) 625
Peroxidase:
Activity, factors influencing (GETCHELL and WALTON) 419
Phospholipid:
Blood plasma, low values (BOYD) 1
Phosphorus:
Low, rickets, healing mechanism (KRAMER, SHEAR, and SIEGEL) 271

Phosphorus—*continued:*
Utilization, lactation (Donelson, Nims, Hunscher, and Macy) 675
—, postlactation period (Donelson, Nims, Hunscher, and Macy) 675
Plant:
Materials, carbon dioxide evolution, hydrochloric acid action on (Anderson) 559
Tissue, greenness, vitamin A association. III (Crist and Dye) 127
Potassium:
Sodium plus, determination (Brown and Shohl) 745
Potato:
Protein, nutritive value (Jones and Nelson) 705
Potentiometer:
Electron tube, hydrogen ion concentration determination, blood serum (Stadie, O'Brien, and Laug) 243
Pregnancy:
Acid-base equilibrium and hydrogen ion concentration (Kydd) 63
Hydrogen ion concentration and acid-base equilibrium (Kydd) 63
Propionic acids:
Disubstituted, with ethyl group, optical rotation influenced by substituting groups (Levene and Marker) 687
Propionic acids—*continued:*
Disubstituted, with methyl group, optical rotation influenced by substituting groups (Levene and Marker) 77
Protein(s):
Colon bacillus, synthesis (Eckstein and Soule) 395
Gelatin, nutritive value (Jones and Nelson) 705
Potato, nutritive value (Jones and Nelson) 705
Synthesis, colon bacillus (Eckstein and Soule) 395
Provitamin:
A (Quinn and Hartley) 633
Pyocyanine:
Potentiometric study (Friedheim and Michaelis) 355

R

Randoin-Lecoq:
Vitamin, Williams-Waterman vitamin B_2, identity (Lecoq) 671
Ration:
Synthetic, hemoglobin building (Elvehjem and Hart) 37
Reducing substances:
Urine, nephritis, identification (Hiller) 735
Reproduction:
Metabolism, women. IV (Donelson, Nims, Hunscher, and Macy) 675

Respiration:
Theelol effect (MELCHIONNA) 653
Respiratory quotients:
Fat-deficient diet, effect (WESSON and BURR) 525
Rickets:
Antirachitic properties, milk derivatives, irradiated (SUPPLEE, FLANIGAN, KAHLENBERG, and HESS) 773
— —, —, irradiated (SUPPLEE, FLANIGAN, KAHLENBERG, and HESS) 773
Phosphorus, low, healing mechanism (KRAMER, SHEAR, and SIEGEL) 271
Viosterol, healing effect (KRAMER, SHEAR, and SIEGEL) 723
Robison:
Hexosemonophosphate, natural and synthetic (LEVENE and RAYMOND) 751
Rosinduline:
Oxidation-reduction indicator (MICHAELIS) 369

S

Sodium:
Osmotic coefficient, sodium hemoglobinate (STADIE and SUNDERMAN) 227
Potassium plus, determination (BROWN and SHOHL) 745
Sodium chloride:
Osmotic coefficient, hemoglobin solution (STADIE and SUNDERMAN) 227
Sodium hemoglobinate:
Sodium in, osmotic coefficient (STADIE and SUNDERMAN) 227
Stomach:
Gastric juice, acidity, constant (HOLLANDER and COWGILL) 151
— secretion. I (HOLLANDER and COWGILL) 151
— —. II (HOLLANDER) 481
— —, acidity, criteria (HOLLANDER) 481
Strophanthidic acid:
Iso-, desoxo derivative, conversion (JACOBS, ELDERFIELD, GRAVE, and WIGNALL) 617
Strophanthidin:
Periplogenin, correlation (JACOBS and ELDERFIELD) 625
Strophanthin:
XX (JACOBS, ELDERFIELD, GRAVE, and WIGNALL) 617
XXI (JACOBS and ELDERFIELD) 625
Sunlight:
Winter, bone formation, effect (RUSSELL and HOWARD) 493

T

Tetracosanic acid:
Peanut oil (TAYLOR) 541

Theelin:
Properties (THAYER, LEVIN, and DOISY) 791
Theelol:
Bioassay (CURTIS and DOISY) 647
Blood pressure, effect (MELCHIONNA) 653
Characterization (THAYER, LEVIN, and DOISY) 655
Crystallography (SLAWSON) 667
Heart, effect (MELCHIONNA) 653
Preparation (DOISY and THAYER) 641
Respiration, effect (MELCHIONNA) 653
Tissue:
Plant, vitamin A association with greenness. III (CRIST and DYE) 127
Transudate:
Electrolyte distribution, blood serum and (GREENE, BOLLMAN, KEITH, and WAKEFIELD) 203
Tryptophane:
Derivatives, kynurenic acid production (BERG) 513
Metabolism. I (BERG) 513

U

Urea:
Elimination, glomerular, frogs (WALKER and ELSOM) 593
Nitrogen metabolism, ingestion, effect (MOORE, LAVIETES, WAKEMAN, and PETERS) 373
Urease hydrolysis, intermediate products (SUMNER, HAND, and HOLLOWAY) 333
Urease:
Urea hydrolysis, intermediate products (SUMNER, HAND, and HOLLOWAY) 333
Urine:
Pentose, metabolism significance (GREENWALD) 731
Reducing substances, nephritis, identification (HILLER) 735
l-Xyloketose, metabolism significance (GREENWALD) 731

V

Viosterol:
Rickets, healing effect (KRAMER, SHEAR, and SIEGEL) 723
Vitamin:
A, asparagus, light relation (CRIST and DYE) 127
—, greenness, association. III (CRIST and DYE) 127
— measurement (SHERMAN and BATCHELDER) 505
B, lactation effect (SURE and WALKER) 69
B_3, Williams-Waterman, Randoin-Lecoq vitamin, identity (LECOQ) 671

Vitamin—*continued:*
Pro-, A (QUINN and HARTLEY) 633
Randoin-Lecoq, Williams-Waterman vitamin B_3, identity (LECOQ) 671

W

Walden inversion:
XV (LEVENE and MARKER) 77
Walden inversion—*continued:*
XVI (LEVENE and MARKER) 687
Williams-Waterman:
Vitamin B_3, Randoin-Lecoq vitamin, identity (LECOQ) 671

X

***l*-Xyloketose:**
Urine, metabolism significance (GREENWALD) 731

2325